OKAY PLASTIC SURGERY

Face and Body Contouring Center

Precautions After Forehead Reduction

- 1. Swelling and bruising may appear differently on each side, but they will improve with time.
- 2. The degree of swelling, bruising, and pain varies by individual and is not related to the surgical outcome, so there is no need to worry.
- 3. For at least 2–3 days, keep your head elevated above heart level. Major swelling usually improves within 2 weeks, while minor swelling can continue to decrease gradually for up to 3 months.
- 4. Applying cold compresses for 2–3 days after surgery helps reduce swelling. When applying, place gauze or a clean tissue over the area to prevent water from touching the wound.
- 5. Stitch removal is usually done on the 10th day and may be completed in two sessions depending on healing progress.
- 6. Shampooing is possible from the next day, but take care to avoid getting water directly on the incision or stitches. After washing, keep the suture area completely dry.
- 7. Incision scars may vary depending on the individual. They may appear red and firm for 2–3 months but will gradually fade and become less noticeable over 6 months to 1 year.
- 8. Temporary hair loss may occur near the incision line on the scalp, but this usually improves over time. The incision line itself may also appear firm for 2–3 months.
- 9. Daily activities such as opening the mouth widely may feel uncomfortable at first but will improve as recovery progresses.
- 10. Avoid applying cosmetics or any other irritating substances to the surgical site until stitches are removed.
- 11. For 4 weeks, avoid alcohol, smoking, saunas, hot baths, and strenuous exercise.
- 12. Recovery speed varies by individual, and improvements in sensation may continue for more than 6 months.
- 13. If you experience severe pain, bleeding, or skin color changes within the first 24 hours, contact the hospital and return for evaluation immediately.

⚠ If you experience any unusual discomfort or have further questions, please contact the clinic.



www.okayps.co



+82 10 3395 6887



contact@okayps.co



4F, 5F, 715 Samseong-ro, Gangnam-gu, Seoul



WhatsApp